

SAFETY DATA SHEET

1. Identification

Product identifier AFA GREASE

Other means of identification

SDS number 1030-T21995-1-USA

Product code AFA+70, AFA+400

Recommended use Industrial lubricating grease (Package size 70gr and 400gr)

Recommended restrictions None known.

Manufacturer / Importer / Supplier / Distributor information

THK Co., LTD
HEAD OFFICE: 2-12-10, Shibaura, Minato-ku, Tokyo, 108-8506 Japan
THK America, Inc.:200 East Commerce Drive, Schaumburg, IL. 60173, USA
Telephone: (847) 310-1111 (THK America) between the hours of 8 am - 5 pm CT
Emergency telephone: (847) 310-1111 (THK America) between the hours of 8 am - 5 pm CT
E-mail: chicago@thk.com, thk022@thk.co.jp

2. Hazard(s) identification

Physical hazards Not classified.

Health hazards Sensitization, skin Category 1

OSHA defined hazards Not classified.

Label elements



Signal word Warning

Hazard statement May cause an allergic skin reaction.

Precautionary statement

Prevention Avoid breathing vapor. Contaminated work clothing should not be allowed out of the workplace. Wear protective gloves.

Response If on skin: Wash with plenty of soap and water. If skin irritation or rash occurs: Get medical advice/attention. Wash contaminated clothing before reuse.

Storage Store away from incompatible materials.

Disposal Dispose of contents/container in accordance with local/regional/national/international regulations.

Hazard(s) not otherwise classified (HNOC) Not classified.

3. Composition/information on ingredients

Mixtures

Chemical name	CAS number	%
Organic compound	Proprietary	1-15
Benzenamine, N-phenyl-, reaction products with 2,4,4-trimethylpentene	Proprietary	1-5
Phosphorodithioic acid, O,O-di-C1-14-alkyl esters, zinc salts	Proprietary	1-2
Sodium nitrite	Proprietary	0.1-<1.0

Composition comments * All concentrations are percent by weight unless ingredient is a gas. Gas concentrations are in percent by volume.

4. First-aid measures

Inhalation	Move affected person into fresh air and keep warm. If breathing is difficult, give oxygen. Get medical attention if any discomfort continues.
Skin contact	Immediately flush with plenty of water for at least 15 minutes while removing contaminated clothing and shoes. In case of eczema or other skin disorders: Seek medical attention and take along these instructions.
Eye contact	Flush thoroughly with water. If irritation occurs, get medical assistance. Make sure to remove any contact lenses from the eyes before rinsing.
Ingestion	Immediately rinse mouth and drink plenty of water. Never give anything by mouth to an unconscious person. Get medical attention if any discomfort continues.
Most important symptoms/effects, acute and delayed	May cause an allergic skin reaction.
Indication of immediate medical attention and special treatment needed	Treat symptomatically. The effects might be delayed.
General information	First aid personnel must be aware of own risk during rescue.

5. Fire-fighting measures

Suitable extinguishing media	Extinguish with foam, carbon dioxide or dry powder.
Unsuitable extinguishing media	Do not use water or halogenated extinguishing media.
Specific hazards arising from the chemical	Thermal decomposition may produce smoke, oxides of carbon and lower molecular weight organic compounds whose composition have not been characterized.
Special protective equipment and precautions for firefighters	Selection of respiratory protection for firefighting: follow the general fire precautions indicated in the workplace. Self-contained breathing apparatus, operated in positive pressure mode and full protective clothing must be worn in case of fire.
Fire-fighting equipment/instructions	Use standard firefighting procedures and consider the hazards of other involved materials. Containers close to fire should be removed or cooled with water.

6. Accidental release measures

Personal precautions, protective equipment and emergency procedures	Avoid contact with skin and eyes. Avoid contact with skin. Wear suitable protective clothing, gloves and eye/face protection. In case of spills, beware of slippery floors and surfaces.
Methods and materials for containment and cleaning up	Absorb spillage with non-combustible, absorbent material. Clean contaminated area with oil-removing material.
Environmental precautions	Do not contaminate water. Contact local authorities in case of spillage to drain/aquatic environment.

7. Handling and storage

Precautions for safe handling	Avoid contact with skin and eyes. Avoid contact with skin. Always remove grease with soap and water or skin cleaning agent, never use organic solvents. Wear appropriate personal protective equipment. Be aware of potential for surfaces to become slippery. Observe good industrial hygiene practices.
Conditions for safe storage, including any incompatibilities	Keep container in a well-ventilated place. Store away from incompatible materials.

8. Exposure controls/personal protection

Occupational exposure limits	No exposure limits noted for ingredient(s).
Biological limit values	No biological exposure limits noted for the ingredient(s).
Exposure guidelines	No exposure standards allocated.
Appropriate engineering controls	Provide adequate ventilation and minimize the risk of inhalation of vapors and oil mist. Provide access to washing facilities including soap, skin cleanser and fatty cream.
Individual protection measures, such as personal protective equipment	
Eye/face protection	Wear approved safety goggles.
Skin protection	
Hand protection	Wear protective gloves. Nitrile gloves are recommended, but be aware that the liquid may penetrate the gloves. Frequent change is advisable. Suitable gloves can be recommended by the glove supplier.
Other	Wear appropriate clothing to prevent repeated or prolonged skin contact.

Respiratory protection In case of inadequate ventilation or risk of inhalation of oil mist, suitable respiratory equipment with particulate filter and organic vapor cartridges can be used. If engineering controls do not maintain airborne concentrations below recommended exposure limits (where applicable) or to an acceptable level (in countries where exposure limits have not been established), an approved respirator must be worn. Use a NIOSH/MSHA approved air purifying respirator as needed to control exposure. Consult with respirator manufacturer to determine respirator selection, use, and limitations. Use positive pressure, air-supplied respirator for uncontrolled releases or when air purifying respirator limitations may be exceeded. Follow respirator protection program requirements (OSHA 1910.134 and ANSI Z88.2) for all respirator use.

Thermal hazards When material is heated, wear gloves to protect against thermal burns.

General hygiene considerations Always observe good personal hygiene measures, such as washing after handling the material and before eating, drinking, and/or smoking. Routinely wash work clothing and protective equipment to remove contaminants.

9. Physical and chemical properties

Appearance	Buttery.
Physical state	Solid.
Form	Buttery.
Color	Brown.
Odor	Mild.
Odor threshold	Not available.
pH	Not available.
Melting point/freezing point	Not available.
Initial boiling point and boiling range	Not available.
Flash point	393.8 °F (201.0 °C) Setaflash Closed Cup (ISO 3679)
Evaporation rate	Not available.
Flammability (solid, gas)	Not available.
Upper/lower flammability or explosive limits	
Flammability limit - lower (%)	Not available.
Flammability limit - upper (%)	Not available.
Vapor pressure	Not available.
Vapor density	Not available.
Relative density	0.9
Solubility(ies)	Not available.
Partition coefficient (n-octanol/water)	Not available.
Auto-ignition temperature	Not available.
Decomposition temperature	Not available.
Viscosity	Not available.

10. Stability and reactivity

Reactivity	This product may react with strong oxidizing agents.
Chemical stability	Stable at normal conditions.
Possibility of hazardous reactions	Will not occur.
Conditions to avoid	Heat, sparks, flames, elevated temperatures.
Incompatible materials	Strong oxidizing agents.
Hazardous decomposition products	Carbon oxides. Nitrogen oxides (NOx). Sulfur oxides. Sodium oxides. Phosphorus oxides. Calcium oxides. Silicon oxides. Aluminum oxides. Formaldehyde. PAH (polycyclic aromatic hydrocarbons).

11. Toxicological information

Information on likely routes of exposure

Ingestion	Ingestion may cause irritation and malaise.
Inhalation	Inhalation of oil mist or vapors formed during heating of the product will irritate the respiratory system and provoke coughing.

Skin contact	Prolonged or frequent contact may cause redness, itching, irritation, eczema/chaps and oil acne.
Eye contact	May cause eye irritation on direct contact.
Symptoms related to the physical, chemical and toxicological characteristics	May cause eczema-like skin disorders (dermatitis).

Information on toxicological effects

Acute toxicity

Components	Species	Test Results
Sodium nitrite (CAS Proprietary)		
Acute		
<i>Inhalation</i>		
LC50	Rat	5.5 mg/l, 4 Hours
<i>Oral</i>		
LD50	Rat	158 mg/kg

Skin corrosion/irritation Prolonged skin contact may cause temporary irritation.

Serious eye damage/eye irritation May cause eye irritation on direct contact.

Respiratory sensitization None known.

Skin sensitization May cause an allergic skin reaction.

Germ cell mutagenicity None known.

Carcinogenicity None known.

Reproductive toxicity None known.

Specific target organ toxicity - single exposure None known.

Specific target organ toxicity - repeated exposure None known.

Aspiration hazard None known.

Chronic effects None known.

12. Ecological information

Ecotoxicity The product contains a substance which is very toxic to aquatic organisms.

Components	Species	Test Results
Sodium nitrite (CAS Proprietary)		
Aquatic		
Crustacea	EC50	Greasyback shrimp (<i>Metapenaeus ensis</i>)
Fish	LC50	Rainbow trout, donaldson trout (<i>Oncorhynchus mykiss</i>)

Persistence and degradability None known.

Bioaccumulative potential None known.

Mobility in soil Not known.

Mobility in general The product contains substances, which are insoluble in water and which may spread on water surfaces.

Other adverse effects Not available.

13. Disposal considerations

Disposal instructions Dispose of in accordance with local regulations.

Hazardous waste code Not regulated.

Waste from residues / unused products Dispose in accordance with applicable federal, state, and local regulations.

Contaminated packaging Since emptied containers retain product residue, follow label warnings even after container is emptied.

14. Transport information

DOT

Not regulated as a hazardous material by DOT.

IATA

Not regulated as a dangerous good.

IMDG

Not regulated as a dangerous good.

Transport in bulk according to Annex II of MARPOL 73/78 and the IBC Code This substance/mixture is not intended to be transported in bulk.

15. Regulatory information**US federal regulations****TSCA Section 12(b) Export Notification (40 CFR 707, Subpt. D)**

Sodium nitrite (CAS Proprietary) 1.0 % One-Time Export Notification only.

US. OSHA Specifically Regulated Substances (29 CFR 1910.1001-1050)

Not listed.

CERCLA Hazardous Substance List (40 CFR 302.4)

Phosphorodithioic acid, O,O-di-C1-14-alkyl esters, zinc salts (CAS Proprietary) LISTED

Sodium nitrite (CAS Proprietary) LISTED

Superfund Amendments and Reauthorization Act of 1986 (SARA)

Hazard categories
 Immediate Hazard - Yes
 Delayed Hazard - No
 Fire Hazard - No
 Pressure Hazard - No
 Reactivity Hazard - No

SARA 302 Extremely hazardous substance No

SARA 311/312 Hazardous chemical Yes

SARA 313 (TRI reporting)

Chemical name	CAS number	% by wt.
Phosphorodithioic acid, O,O-di-C1-14-alkyl esters, zinc salts	Proprietary	1-2

Other federal regulations**Clean Air Act (CAA) Section 112 Hazardous Air Pollutants (HAPs) List**

Not regulated.

Clean Air Act (CAA) Section 112(r) Accidental Release Prevention (40 CFR 68.130)

Not regulated.

Safe Drinking Water Act (SDWA) Not regulated.

Food and Drug Administration (FDA) Not regulated.

US state regulations**US. Massachusetts RTK - Substance List**

Sodium nitrite (CAS Proprietary)

US. New Jersey Worker and Community Right-to-Know Act

Phosphorodithioic acid, O,O-di-C1-14-alkyl esters, zinc salts (CAS Proprietary) 500 lbs

Sodium nitrite (CAS Proprietary) 500 lbs

US. Pennsylvania RTK - Hazardous Substances

Sodium nitrite (CAS Proprietary)

US. Rhode Island RTK

Phosphorodithioic acid, O,O-di-C1-14-alkyl esters, zinc salts (CAS Proprietary)

Sodium nitrite (CAS Proprietary)

US. California Proposition 65

This product does not contain a chemical known to the State of California to cause cancer, birth defects or other reproductive harm.

US - California Proposition 65 - Carcinogens & Reproductive Toxicity (CRT): Listed substance

Not listed.

International Inventories

Country(s) or region	Inventory name	On inventory (yes/no)*
Australia	Australian Inventory of Chemical Substances (AICS)	No
Canada	Domestic Substances List (DSL)	No
Canada	Non-Domestic Substances List (NDSL)	No
China	Inventory of Existing Chemical Substances in China (IECSC)	No
Europe	European Inventory of Existing Commercial Chemical Substances (EINECS)	Yes
Europe	European List of Notified Chemical Substances (ELINCS)	Yes
Japan	Inventory of Existing and New Chemical Substances (ENCS)	Yes
Korea	Existing Chemicals List (ECL)	Yes
New Zealand	New Zealand Inventory	No
Philippines	Philippine Inventory of Chemicals and Chemical Substances (PICCS)	No
United States & Puerto Rico	Toxic Substances Control Act (TSCA) Inventory	Yes


*A "Yes" indicates this product complies with the inventory requirements administered by the governing country(s).

A "No" indicates that one or more components of the product are not listed or exempt from listing on the inventory administered by the governing country(s).

16. Other information, including date of preparation or last revision

Issue date	01-October-2013
Revision date	28-September-2016
Version #	02
Further information	C - Safety Glasses, Gloves, Apron

NFPA Ratings



Disclaimer

This information is provided without warranty. The information is believed to be correct. This information should be used to make an independent determination of the methods to safeguard workers and the environment.

Copyright © 2016 THK CO., LTD. All rights reserved.