SAFETY DATA SHEET

1. Identification

Product identifier **THK L500 GREASE**

Other means of identification None.

Recommended use Lubricating grease. **Recommended restrictions** None known.

Manufacturer/Importer/Supplier/Distributor information

THK Co.,LTD

HEAD OFFICE: 2-12-10, Shibaura, Minato-ku, Tokyo 108-8506 Japan THK America, Inc.: 200 E. Commerce Drive, Schaumburg, IL 60173, U.S.A. Telephone: (847) 310-1111 (THK America) between the hours of 8 am - 5 pm

Emergency telephone: (847) 310-1111 (THK America) between the hours of 8 am - 5 pm

E-mail: chicago@thk.com, thk022@thk.co.jp

2. Hazard(s) identification

Physical hazards Not classified.

Health hazards Serious eye damage/eye irritation Category 2 Sensitization, skin Category 1

> Specific target organ toxicity, repeated Category 2 (Blood)

exposure

Environmental hazards Hazardous to the aquatic environment, Category 3

long-term hazard

OSHA defined hazards Not classified.

Label elements



Signal word Warning

Hazard statement Causes serious eye irritation. May cause an allergic skin reaction. May cause damage to organs

(Blood) through prolonged or repeated exposure. Harmful to aquatic life with long lasting effects.

Precautionary statement

Response

Prevention Wear protective gloves/protective clothing/eye protection/face protection. Do not breathe

dust/fume/gas/mist/vapors/spray. Wash thoroughly after handling. Contaminated work clothing

should not be allowed out of the workplace. Avoid release to the environment.

If in eyes: Rinse cautiously with water for several minutes. Remove contact lenses, if present and easy to do. Continue rinsing. If eye irritation persists: Get medical advice/attention. If on skin:

Wash with plenty of water. If skin irritation or rash occurs: Get medical advice/attention, Take off contaminated clothing and wash it before reuse. Get medical advice/attention if you feel unwell.

Storage Not available.

Disposal Dispose of contents/container in accordance with local/regional/national/international regulations.

Hazard(s) not otherwise classified (HNOC)

None known.

Supplemental information None

3. Composition/information on ingredients

Mixtures

Chemical name	CAS number	%
Lubricating oils	74869-22-0	70 - 80

THK L500 GREASE SDS US 1/7

Molybdenum, bis (dibutylcarbamodithioato) di-mu-oxodioxodi-, sulfurized	68412-26-0	1 - 3	
N-1-naphthylaniline	90-30-2	1 - 3	
Zinc, bis[O,O-bis(1,3-dimethylbutyl) phosphorodithioato-S,S']-, (T-4)-	84605-29-8	1 - 3	

Lubricating oils: Contains less than 3 % DMSO extract as measured by IP 346.

Composition comments All concentrations are in percent by weight unless ingredient is a gas. Gas concentrations are in

percent by volume.

4. First-aid measures

Inhalation Move injured person into fresh air and keep person calm under observation. Get medical attention

if any discomfort continues.

Skin contact Remove contaminated clothing immediately and wash skin with soap and water. In case of

eczema or other skin disorders: Seek medical attention and take along these instructions. Thermal burns: Flush with water immediately. While flushing, remove clothes which do not adhere to

affected area. Call an ambulance. Continue flushing during transport to hospital.

Eye contact Immediately flush with plenty of water for up to 15 minutes. Remove any contact lenses and open

eyelids wide apart. Get medical attention if irritation develops and persists.

Ingestion Rinse mouth thoroughly. Do not induce vomiting. If vomiting occurs, the head should be kept low

May cause skin irritation. Severe eye irritation. Dermatitis.

so that stomach vomit doesn't enter the lungs. Get medical attention.

Most important

symptoms/effects, acute and

delayed

Indication of immediate medical attention and special

treatment needed

General information

Treat symptomatically.

First aid personnel must be aware of own risk during rescue.

5. Fire-fighting measures

Suitable extinguishing media

Unsuitable extinguishing

media

Specific hazards arising from

the chemical

Special protective equipment

and precautions for firefighters

By heating and fire, harmful vapors/gases may be formed.

Extinguish with foam, carbon dioxide, dry powder or water fog.

Do not use water jet as an extinguisher, as this will spread the fire.

Selection of respiratory protection for firefighting: follow the general fire precautions indicated in the workplace. Self-contained breathing apparatus and full protective clothing must be worn in case of fire.

Fire fighting

equipment/instructions

General fire hazards

Use standard firefighting procedures and consider the hazards of other involved materials. Move container from fire area if it can be done without risk. Cool containers exposed to flames with water

until well after the fire is out.
Will burn if involved in a fire.

6. Accidental release measures

Personal precautions, protective equipment and emergency procedures

Methods and materials for containment and cleaning up

Environmental precautions

Stay upwind. Eliminate all sources of ignition. Avoid inhalation of vapors and spray mists. Avoid prolonged and repeated contact. Avoid contact with used oils. Wear appropriate personal protective equipment.

Remove sources of ignition. Stop the flow of material, if this is without risk. Absorb spillage with non-combustible, absorbent material. In case of spills, beware of slippery floors and surfaces.

Avoid discharge into drains, water courses or onto the ground. Contact local authorities in case of spillage to drain/aquatic environment.

7. Handling and storage

Precautions for safe handling

Provide adequate ventilation. Avoid inhalation of vapors and spray mists. Avoid prolonged and repeated contact. Avoid contact with used oils. Wear appropriate personal protective equipment. Do not eat, drink or smoke when using the product. Observe good industrial hygiene practices.

Conditions for safe storage, including any incompatibilities

Keep away from heat, sparks and open flame. Keep containers tightly closed in a cool, well-ventilated place.

 THK L500 GREASE

 931966
 Version #: 02
 Revision date: 12-January-2018
 Issue date: 02-November-2016
 2 / 7

8. Exposure controls/personal protection

Occupational exposure limits

Components	Туре	Value	Form
Lubricating oils (CAS 74869-22-0)	PEL	5 mg/m3	Mist.
Molybdenum, bis (dibutylcarbamodithioato) di-mu-oxodioxodi-, sulfurized (CAS 68412-26-0)	PEL	15 mg/m3	Total dust.
US. ACGIH Threshold Limit Value	es		
Components	Туре	Value	Form
Lubricating oils (CAS 74869-22-0)	TWA	5 mg/m3	Inhalable fraction.
Molybdenum, bis (dibutylcarbamodithioato) di-mu-oxodioxodi-, sulfurized (CAS 68412-26-0)	TWA	3 mg/m3	Respirable fraction.
,		10 mg/m3	Inhalable fraction.
US. NIOSH: Pocket Guide to Che	mical Hazards		
Components	Туре	Value	Form
Lubricating oils (CAS 74869-22-0)	STEL	10 mg/m3	Mist.
	TWA	5 mg/m3	Mist.

5 mg/m3 **Biological limit values** No biological exposure limits noted for the ingredient(s).

Appropriate engineering

Provide adequate ventilation and minimize the risk of inhalation of vapors and oil mist.

controls

Individual protection measures, such as personal protective equipment

Risk of splashes: Wear approved safety goggles. Eye/face protection

Skin protection

Hand protection Wear protective gloves. Nitrile gloves are recommended. Glove thickness approx > 0.3 mm.

Frequent change is advisable. Suitable gloves can be recommended by the glove supplier.

Skin protection

Wear appropriate clothing to prevent repeated or prolonged skin contact. Other

Respiratory protection In case of inadequate ventilation, use suitable respiratory equipment with gas filter for organic gas.

When material is heated, wear gloves to protect against thermal burns. Thermal hazards

General hygiene Always observe good personal hygiene measures, such as washing after handling the material and before eating, drinking, and/or smoking. Routinely wash work clothing and protective considerations

equipment to remove contaminants.

9. Physical and chemical properties

Appearance

Solid. Physical state Semi solid. Form Color Yellow. Slight. Odor Odor threshold Not available.

Not available. pН

Melting point/freezing point Dropping point: >=250°C

Initial boiling point and boiling

range

Not available.

Flash point Not available. Not available. **Evaporation rate** Flammability (solid, gas) Not available.

THK L500 GREASE SDS US Upper/lower flammability or explosive limits

Flammability limit - lower

1 %

7 %

(%)

Flammability limit - upper

(%)

Vapor pressureNot available.Vapor densityNot available.Relative densityNot available.

Solubility(ies)

Solubility (water) Insoluble in water.

Partition coefficient Not available.

(n-octanol/water)

Auto-ignition temperature 392 - 770 °F (200 - 410 °C) (Estimated)

Decomposition temperature Not available.

Viscosity Not available.

10. Stability and reactivity

Reactivity The product is stable and non-reactive under normal conditions of use, storage and transport.

Chemical stability Stable at normal conditions.

Possibility of hazardous

reactions

Will not occur.

Conditions to avoid Heat, sparks, flames. High temperatures.

Incompatible materials Strong oxidizing agents.

Hazardous decomposition

Carbon oxides.

products

11. Toxicological information

Information on likely routes of exposure

In high concentrations, vapors are narcotic and may cause headache, fatigue, dizziness and

nausea.

Skin contact May cause eczema-like skin disorders (dermatitis).

Eye contact Irritating to eyes.

Ingestion May cause discomfort if swallowed.

Symptoms related to the physical, chemical and toxicological characteristics

May cause skin irritation. Severe eye irritation. Dermatitis.

Information on toxicological effects

Acute toxicity May cause discomfort if swallowed.

Skin corrosion/irritation Prolonged skin contact may cause temporary irritation.

Serious eye damage/eye

irritation

Causes eye irritation.

Respiratory or skin sensitization

Respiratory sensitization No data available.

Skin sensitization May cause an allergic skin reaction.

Germ cell mutagenicity No data available.

Carcinogenicity This product is not considered to be a carcinogen by IARC, ACGIH, NTP, or OSHA.

IARC Monographs. Overall Evaluation of Carcinogenicity

Lubricating oils (CAS 74869-22-0) 3 Not classifiable as to carcinogenicity to humans.

NTP Report on Carcinogens

Lubricating oils (CAS 74869-22-0) Known To Be Human Carcinogen.

OSHA Specifically Regulated Substances (29 CFR 1910.1001-1053)

Not regulated.

Reproductive toxicity No data available.

THK L500 GREASE SDS US

Specific target organ toxicity -

single exposure

No data available.

Specific target organ toxicity -

repeated exposure

May cause damage to organs (Blood) through prolonged or repeated exposure.

Aspiration hazard No data available

Chronic effects Prolonged and repeated contact with used oil may cause serious skin diseases, such as

dermatitis and skin cancer.

Further information The harmful effects may increase in used oil.

12. Ecological information

Ecotoxicity Harmful to aquatic life with long lasting effects.

Persistence and degradability No data available.

Bioaccumulative potential No data available.

Partition coefficient n-octanol / water (log Kow)

N-1-naphthylaniline (CAS 90-30-2) 4.2

Mobility in soil Not available.

Mobility in general The product is insoluble in water and will spread on water surfaces.

Other adverse effects Not available.

13. Disposal considerations

Disposal instructionsCollect and reclaim or dispose in sealed containers at licensed waste disposal site.

Hazardous waste code Not regulated.

Waste from residues / unused

products

Dispose of in accordance with local regulations. Do not discharge into drains, water courses or

onto the ground.

Not available.

Contaminated packaging Since emptied containers retain product residue, follow label warnings even after container is

emptied.

14. Transport information

DOT

Not regulated as dangerous goods.

IATA

Not regulated as dangerous goods.

IMDG

Not regulated as dangerous goods.

Transport in bulk according to

Annex II of MARPOL 73/78 and

the IBC Code

15. Regulatory information

US federal regulations This product is a "Hazardous Chemical" as defined by the OSHA Hazard Communication

Listed.

Standard, 29 CFR 1910.1200.

TSCA Section 12(b) Export Notification (40 CFR 707, Subpt. D)

Not regulated.

CERCLA Hazardous Substance List (40 CFR 302.4)

Zinc, bis[O,O-bis(1,3-dimethylbutyl)

phosphorodithioato-S,S']-, (T-4)- (CAS 84605-29-8)

SARA 304 Emergency release notification

Not regulated.

OSHA Specifically Regulated Substances (29 CFR 1910.1001-1053)

Not regulated.

Superfund Amendments and Reauthorization Act of 1986 (SARA)

SARA 302 Extremely hazardous substance

Not listed.

SARA 311/312 Hazardous Yes

chemical

THK L500 GREASE SDS US

5/7

Classified hazard Serious eye damage or eye irritation Respiratory or skin sensitization categories

Specific target organ toxicity (single or repeated exposure)

SARA 313 (TRI reporting)

Chemical name CAS number % by wt. Zinc, bis[O,O-bis(1,3-dimethylbutyl) 84605-29-8 1 - 3 phosphorodithioato-S,S']-, (T-4)-

Other federal regulations

Clean Air Act (CAA) Section 112 Hazardous Air Pollutants (HAPs) List

Not regulated.

Clean Air Act (CAA) Section 112(r) Accidental Release Prevention (40 CFR 68.130)

Not regulated

Safe Drinking Water Act Not regulated.

(SDWA)

US state regulations

US. Massachusetts RTK - Substance List

Lubricating oils (CAS 74869-22-0)

US. New Jersey Worker and Community Right-to-Know Act

Zinc, bis[O,O-bis(1,3-dimethylbutyl) phosphorodithioato-S,S']-, (T-4)- (CAS 84605-29-8)

US. Pennsylvania Worker and Community Right-to-Know Law

Lubricating oils (CAS 74869-22-0)

Zinc, bis[O,O-bis(1,3-dimethylbutyl) phosphorodithioato-S,S']-, (T-4)- (CAS 84605-29-8)

US. Rhode Island RTK

Not regulated.

California Proposition 65

California Safe Drinking Water and Toxic Enforcement Act of 2016 (Proposition 65): This material is not known to contain any chemicals currently listed as carcinogens or reproductive toxins. For more information go to www.P65Warnings.ca.gov.

US. California, Candidate Chemicals List. Safer Consumer Products Regulations (Cal. Code Regs, tit. 22, 69502.3, subd. (a))

Lubricating oils (CAS 74869-22-0)

International Inventories

Country(s) or region	Inventory name	On inventory (yes/no)*
Australia	Australian Inventory of Chemical Substances (AICS)	No
Canada	Domestic Substances List (DSL)	Yes
Canada	Non-Domestic Substances List (NDSL)	No
China	Inventory of Existing Chemical Substances in China (IECSC)	Yes
Europe	European Inventory of Existing Commercial Chemical Substances (EINECS)	Yes
Europe	European List of Notified Chemical Substances (ELINCS)	No
Japan	Inventory of Existing and New Chemical Substances (ENCS)	No
Korea	Existing Chemicals List (ECL)	No
New Zealand	New Zealand Inventory	Yes
Philippines	Philippine Inventory of Chemicals and Chemical Substances (PICCS)	Yes
Taiwan	Taiwan Chemical Substance Inventory (TCSI)	Yes
United States & Puerto Rico	Toxic Substances Control Act (TSCA) Inventory	Yes

16. Other information, including date of preparation or last revision

02-November-2016 Issue date Revision date 12-January-2018

Version # 02

THK L500 GREASE SDS US

^{*}A "Yes" indicates this product complies with the inventory requirements administered by the governing country(s).

A "No" indicates that one or more components of the product are not listed or exempt from listing on the inventory administered by the governing country(s).

HMIS® ratings

Health: 2 Flammability: 1
Physical hazard: 0

NFPA ratings



Disclaimer

This information is provided without warranty. The information is believed to be correct. This information should be used to make an independent determination of the methods to safeguard workers and the environment.

Copyright © 2016 THK CO., LTD. All rights reserved.

SDS US THK L500 GREASE 7/7