

SHS-M
Global Standard Model

SRS
Miniature Type



LM Guide Stainless Series for Quick Ship

Rails & Blocks are individually **Stocked** for Easy/Fast interchangeability.

- Suitable for Clean Rooms
- Stainless Steel Material
Stainless steel contributes to outstanding corrosion resistance
- Caged Balls
Caged ball technology achieves low dust generation by eliminating friction between balls
- Clean Room Grease
THK AFF grease generates little dust, making itself an ideal grease for clean rooms.


*Standard Grease is AFB-LF (Multi-purpose grease) for SHS-M and AFF grease for SRS.

For Quick Ship Stock Blocks, including SHS-M, AFF grease is enclosed.




SHS-M

Global Standard Model
Caged Ball LM Guide
4-Way Equal Loading



Available Models & Sizes for Quick Ship

Model No.	Available Block Styles						Stock Rail Length
	C	V	R	LC (Long C)	LV (Long V)	LR (Long R)	
SHS15	⊙	⊙	⊙	⊙	⊙		1240 mm
SHS20	⊙	⊙		⊙	⊙		1480 mm
SHS25	⊙	⊙	⊙	⊙	⊙	⊙	2020 mm




Stock Part Numbers for Quick Ship

Type		Part Number		
		15	20	25
Block	C	SHS15C1UUM(GK) BLOCK	SHS20C1UUM(GK) BLOCK	SHS25C1UUM(GK) BLOCK
	V	SHS15V1UUM(GK) BLOCK	SHS20V1UUM(GK) BLOCK	SHS25V1UUM(GK) BLOCK
	R	SHS15R1UUM(GK) BLOCK	---	SHS25R1UUM(GK) BLOCK
	LC	SHS15LC1UUM(GK) BLOCK	SHS20LC1UUM(GK) BLOCK	SHS25LC1UUM(GK) BLOCK
	LV	SHS15LV1UUM(GK) BLOCK	SHS20LV1UUM(GK) BLOCK	SHS25LV1UUM(GK) BLOCK
	LR	---	---	SHS25LR1UUM(GK) BLOCK
Rail		SHS15-1240LM(GK) RAIL	SHS20-1480LM(GK) RAIL	SHS25-2020LM(GK) RAIL

Rail – Can be cut to your length for Quick Ship.
For rails longer than listed lengths, please contact THK for details.

SRS

Miniature Type
Caged Ball LM Guide
4-Way Equal Loading




Available Models & Sizes for Quick Ship

Model No.	Available Block Styles				Max Single Rail Length
	Narrow Block		Wide Block		
	M	N	WM	WN	
SRS7	⊙		⊙		Narrow: 490 mm Wide: 500 mm
SRS9	⊙	⊙	⊙	⊙	1000 mm
SRS12	⊙	⊙	⊙	⊙	1000 mm
SRS15	⊙	⊙	⊙	⊙	1000 mm



M: Narrow Tapped Holes



N: Long M Type



WM: Wide Type



WN: Long WM Type

Stock Part Numbers for Quick Ship

Type			Part Number			
			7	9	12	15
Narrow	Block	M	SRS7MUU(GK) BLOCK	SRS9XMUU(GK) BLOCK	SRS12MUU(GK) BLOCK	SRS15MUU(GK) BLOCK
		N	---	SRS9XNUU(GK) BLOCK	SRS12NUU(GK) BLOCK	SRS15NUU(GK) BLOCK
	Rail		SRS7-490LM(GK) RAIL	SRS9X-1000LM(GK)RAIL	SRS12-1000LM(GK) RAIL	SRS15-1000LM(GK) RAIL
Wide	Block	WM	SRS7WMUU(GK) BLOCK	SRS9WMUU(GK) BLOCK	SRS12WMUU(GK) BLOCK	SRS15WMUU(GK) BLOCK
		WN	---	SRS9WNUU(GK) BLOCK	SRS12WNUU(GK) BLOCK	SRS15WNUU(GK) BLOCK
	Rail		SRS7W-500LM(GK) RAIL	SRS9W-1000LM(GK) RAIL	SRS12W-1000LM(GK) RAIL	SRS15W-1000LM(GK) RAIL

Rail – Can be cut to your length for Quick Ship.
For rails longer than listed lengths, please contact THK for details.

Part Number Coding



SHS Block: SHS 15 C 1 UU M (GK) Block
(1) (2) (3) (4) (5) (6) (7)


SRS Block: SRS 12 WM UU (GK) Block
(1) (2) (3) (5) (7)



SHS Rail: SHS 15 — 220L M (GK) Rail
(1) (2) (8) (6) (7)

SRS Rail: SRS 9X — 75L M (GK) Rail
(1) (2) (8) (6) (7)

- (1) Model
 - (2) Size
 - (3) Block Style
 - (4) Number of Blocks *Default to 1. Not required for SRS Blocks
 - (5) Seal Symbol UU = End Seals
 - (6) Symbol for Stainless Steel *Not required for SRS Blocks
 - (7) Symbol for Interchangeable Block/Rail
 - (8) Rail Overall Length in mm
- More options are available (Seal, Accuracy, Preload, Grease, etc)
 - Please contact THK for details



THK America, Inc.

200 E. Commerce Dr.
Schaumburg, IL 60173

Tel: (847) 310-1111

Fax: (847) 310-1271

www.thk.com